



▶ 3400 Watt

✓ 3 hobs for individual use



▶ 2 hobs left: total 2 kW

✓ Rear maximum: 1 kW

✓ The front hob can be used on its own: 2 kW

✓ When both hobs are used, the energy is selected depending on the setting

▶ 1 hob right

✓ 1.4 kW max.



Induction cooker with 3 hobs for individual use. Depending on the type of food preparation, 3400 Watt can be distributed over 3 or 2 hobs.

• Temperature range:	60 °C to 240 °C	• ON/OFF switch:	Yes
• Time adjustment:	1 to 180 minutes	• Colour:	Black Silver
• Arrangement of the hobs:	2 left, 1 right	• Can be installed:	No
• Intervals time setting:	1 minute(s)	• Pot recognition:	Yes
• Output hob right max.:	1400 W	• Lock button (child protection):	Yes
• Output all hobs left max.:	2000 W	• Material hob:	Glass
• Output hob rear left max.:	1000 W	• Regulation of:	Output Temperature Time
• Output hob front left max.:	2000 W	• Material:	Plastic ABS
• Diameter hob right:	207 mm	• Important information:	-
• Diameter hob front left:	207 mm	• Number of output levels:	10 right, 10 front left, 5 rear left
• Diameter hob rear left:	106 mm	• Timer:	Yes
• Number of temperature levels:	10	• Properties:	Load-bearing capacity max.: 15 kg
• Intervals temperature setting:	20 °C	• Core temperature sensor:	No
• Power load:	3,4 kW   230 V   50/60 Hz	• Size:	W 510 x D 485 x H 65 mm
• Equipment connection:	Pluggable	• Weight:	6.11 kg
• Control unit:	Touch		
• Number of hobs:	3		
• Type of hobs:	Induction		
• Control lamp:	Output Temperature Time		
• Size cerane surface:	W 510 x D 485 mm		
• Overheating protection:	Yes		
• Digital display:	Yes		

### Frying pan 240A



- Material handle(s): Stainless steel
- Handle properties: Thermally insulated
- Detachable handle: No
- Roasting surface design: Non stick coating (Quan Tanium)
- Induction-suitable: Yes
- Inside diameter: 240 mm
- Diameter surface: 175 mm
- Pan height: 55 mm
- Material: Aluminium  
Stainless steel
- Important information: -

Code-No. A150324  
GTIN 4015613677958

### Frying pan 280A



- Material handle(s): Stainless steel
- Handle properties: Thermally insulated
- Detachable handle: No
- Roasting surface design: Non stick coating (Quan Tanium)
- Induction-suitable: Yes
- Inside diameter: 280 mm
- Diameter surface: 205 mm
- Pan height: 55 mm
- Material: Aluminium  
Stainless steel
- Important information: -

Code-No. A150328  
GTIN 4015613677965

### Cookware set T4P1



- Handle properties: Cold handle(s)
- Induction-suitable: Yes
- Material handle(s): Chrome-nickel steel
- With pouring rim: Yes
- Material: Chrome-nickel steel
- Important information: -
- Set comprises: 4 pots with a lid and 1 pan  
Pot 1: contents 2 litres, Ø surface 16 cm, height 10 cm  
Pot 2: contents 2.7 litres, Ø surface 18 cm, height 11 cm

Code-No. A130442  
GTIN 4015613417158

### Cookware set T4



- Set comprises: 4 pots with a lid  
Pot 1: contents 8 litres, Ø surface 24 cm, height 20 cm  
Pot 2: contents 9 litres, Ø surface 26 cm, height 20.5 cm  
Pot 3: contents 13 litres, Ø surface 28 cm, height 22.5 cm  
Pot 4: contents 15 litres, Ø surface 30 cm, height 25 cm
- Handle properties: Cold handle(s)
- Induction-suitable: Yes

Code-No. A130441  
GTIN 4015613403977

### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078  
GTIN 4015613731926

### Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head  
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such aluminium  
Exclusively available in Germany and Austria

Code-No. 173080  
GTIN 4015613731933