


# Article Information Sheet (AIS)



This Article Information Sheet (AIS) provides relevant battery information to retailers, consumers, OEMs and others users requesting a GHS-compliant SDS. Articles, such as batteries, are exempt from GHS SDS classification criteria. The GHS criteria is not designed or intended to be used to classify the physical, health and environmental hazards of an article. Branded consumer batteries are defined as electro-technical devices. The design, safety, manufacture, and qualification of branded consumer batteries follow ANSI and IEC battery standards. This document is based on principles set forth in the following hazard communication approaches: ANSI Z-400.1, GHS, JAMP AIS, IEC 62474, and ANSI C18.4M.

1. Document Information	
Document Name	Procell Alkaline Batteries (Major Cells)
Document ID	AIS-ALK
Issue Date	1-Oct-19
Version	1.0
Preparer	Product Safety & Regulatory
Last Revision	New
2. Company Information	
Name & Address	Duracell Industrial Operations, Inc. 14 Research Drive, Bethel, CT USA 06801
Website	<a href="http://www.procell.com">www.procell.com</a>
Consumer Service: North America	877-277-6235 (9:00 AM - 5:00 PM EST)
Customer Service: Europe	(AT) 0800 1025 1956, (BE) 0800 509 95, (CH) 0800 000 885, (DE) 0800 101 2112, (ES) 900 800 522, (FR) 0800 946 790 Service & appel gratuits, (IRL) 1 800 509 176, (IT) 800 125 662, (NL) 0800 265 8616, (PT) 800 781 012, (UK) 0800 716 43
Customer Service: ASIA & PACIFIC RIM	(AU) 1 800 025 917, (CN) +852 3974 6356 (JP) (+81) 45-440-6680, (NZ) 0800 421 629
Customer Service: Web/email	Visit <a href="http://www.procell.com">www.procell.com</a> (CONTACT US)
3. Article Information	
Description	Procell branded professional alkaline battery
Product Category	Electro-technical device
Use	Portable power source for electronic devices
Branding	Procell
Sizes	Major Cells: AA,AAA, C, D & 9V
Principles of Operation	A battery powers a device by converting stored chemical energy into electrical energy.
Representative Product Images	
	<div style="display: flex; justify-content: space-around; text-align: center;"> <div>Major Cells</div> <div>Major Cells</div> </div>
4. Article Construction	
Applicable Battery Industry Standards	ANSI C18.1M Part 1, ANSI C18.1M Part 2, ANSI C18.4M, IEC 60086-1, IEC 60086-2, IEC 60086-5
Electro-technical System	Alkaline Manganese Dioxide
Electrode - Negative	Zinc (CAS # 7440-66-6)
Electrode - Positive	Manganese Dioxide (CAS # 1313-13-9)
Electrolyte	Alkali Metal Hydroxide (aqueous potassium hydroxide - CAS # 1310-58-3)
Materials of Construction - Can	Nickel Plated Steel
Declarable Substances (IEC 62474 Criteria 1)	None
Mercury Free Battery (ANSI C18.4M <5ppm)	Yes

## Article Information Sheet (AIS)



<b>Small Cell or Battery (ANSI C18.1M Part 2; IEC 60086-5)</b>	Sizes: AAA and Specialty Cells fit inside a specially designed test cylinder 2.25 inches (57.1mm) long by 1.25 inches (31.70 mm) wide.
<b>5. Health &amp; Safety</b>	
<b>Ingestion/Small Parts Warning</b>	<u>Required for Small Cell or Battery (Sizes: AAA and Specialty Cells):</u> Keep away from children. If swallowed, consult a physician immediately.
<b>Normal Conditions of Use</b>	Exposure to contents inside the sealed battery will not occur unless the battery leaks, is exposed to high temperatures, or is mechanically abused.
<b>Note to Physician</b>	A damaged battery will release concentrated and caustic potassium hydroxide.
<b>First Aid - If swallowed</b>	Do not induce vomiting. Seek medical attention immediately. For information on treatment, call the National Battery Ingestion Hotline (telephone numbers for the USA and Canada are provided below).
<b>24-Hour National Battery Ingestion Hotline</b>	<b>USA/Canada Calls Only: 1-800-498-8666 (Toll Free)</b>
<b>First Aid - Eye Contact</b>	Flush with water for at least 15 minutes. Seek medical care if irritation persists.
<b>First Aid - Skin Contact</b>	Remove contaminated clothing. Wash skin with soap and water. Seek medical care if irritation persists.
<b>First Aid - Inhalation</b>	Remove to fresh air.
<b>Battery Safety Standards &amp; Testing</b>	Duracell batteries meet the requirements of ANSI C18. 1M Part 2 and IEC 60086-5. These standards specify tests and requirements for alkaline batteries to ensure safe operation under normal use and reasonably foreseeable misuse. The test regimes assess three conditions of safety. These are: <u><b>1-Intended use simulation:</b></u> Partial use, vibration, thermal shock, and mechanical shock <u><b>2-Reasonably foreseeable misuse:</b></u> Incorrect installation, external short-circuit, free fall (user-drop), over-discharge, and crush <u><b>3-Design consideration:</b></u> Thermal abuse, mold stress
<b>Precautionary Statements</b>	<b>CAUTION:</b> Batteries may explode or leak, and cause burn injury, if recharged, disposed of in fire, mixed with a different battery type, inserted backwards or disassembled. Replace all used batteries at the same time. Do not carry batteries loose in your pocket or purse. Do not remove the battery label. Keep small batteries (i.e., AAA) away from children. If swallowed, consult a physician at once.
<b>6. Fire Hazard &amp; Firefighting</b>	
<b>Fire Hazard</b>	Batteries may rupture or leak if involved in a fire.
<b>Extinguishing Media</b>	Use any extinguishing media appropriate for the surrounding area.
<b>Fires Involving Large Quantities of Batteries</b>	Large quantities of batteries involved in a fire will rupture and release caustic potassium hydroxide. Firefighters should wear self-contained breathing apparatus and protective clothing.
<b>7. Handling &amp; Storage</b>	
<b>Handling Precautions</b>	Avoid mechanical and electrical abuse. Do not short circuit or install incorrectly. Batteries may rupture or vent if disassembled, crushed, recharged or exposed to high temperatures. Install batteries in accordance with equipment instructions.
<b>Storage Precautions</b>	Store batteries in a dry place at normal room temperature. Refrigeration does not make them last longer.
<b>Spills of Large Quantities of Loose Batteries (unpackaged)</b>	Notify spill personnel of large spills. Irritating and flammable vapors may be released from leaking or ruptured batteries. Spread batteries apart to stop shorting. Eliminate all ignition sources. Evacuate area and allow vapors to dissipate. Clean-up personnel should wear appropriate PPE to avoid eye and skin contact and inhalation of vapors or fumes. Increase ventilation. Carefully collect batteries and place in appropriate container for disposal. Remove any spilled liquid with absorbent material and contain for disposal.
<b>8. Disposal Considerations (GHS Section 13)</b>	

## Article Information Sheet (AIS)



<b>Collection &amp; Proper Disposal</b>	Dispose of used (or excess) batteries in compliance with federal, state/provincial and local regulations. Do not accumulate large quantities of used batteries for disposal as accumulations could cause batteries to short-circuit. Do not incinerate. In countries, such as Canada and the EU, where there are regulations for the collection and recycling of batteries, consumers should dispose of their used batteries into the collection network at municipal depots and retailers.
<b>USA EPA RCRA (40 CFR 261)</b>	Classified as non-hazardous waste (not ignitable, corrosive, reactive or toxic). Federal Universal Waste Regulations (40 CFR 273) do not apply. State requirements may be more stringent than Federal.
<b>California Universal Waste Rule (Cal. Code Regs. Title 22, Div. 4.5, Ch. 23)</b>	California prohibits disposal of batteries as trash (including household trash).

**Vermont Primary Battery Stewardship Law (ACT 139)** In Vermont, consumers must recycle alkaline batteries. For information, contact <http://www.call2recycle.org>.

### 9. Transport Information (GHS Section 14)

<b>Regulatory Status</b>	Not regulated. Alkaline batteries (sometimes referred to as "Dry Cell" or "household" batteries) are not listed or regulated as dangerous goods under IATA Dangerous Goods Regulations, ICAO Technical Instructions, IMDG Code, UN Model Regulations, U.S. Hazardous Materials Regulations (49 CFR), and UNECE ADR.
<b>UN Identification Number/ Shipping Name</b>	None - Not Required
<b>Special Provision (SP) Conformance</b>	Special regulatory provisions require batteries to be packaged in a manner that prevents the generation of a dangerous quantity of heat and short circuits. Shippers can prepare batteries by taping the terminals, individually packaging batteries, or otherwise segregating the batteries to prevent risk of creating a short circuit. Batteries shipped in original unopened Duracell packaging is compliant.
<b>US DOT SP</b>	49 CFR 172.102 Special Provision 130
<b>Air Transport (IATA/ICAO) SP</b>	Special Provision A123 (60th Edition - 2019). NOTE: The words "NOT RESTRICTED" and "SPECIAL PROVISION A123" must be included on the description of the substance on the Air Waybill, when air way-bill is issued.
<b>Passenger Air Travel</b>	No restrictions
<b>Emergency Transportation Hotline</b>	<b>CHEMTREC 24-Hour Emergency Response Hotline</b> <b>Within the United States call +703-527-3887</b> <b>Outside the United States, call +1 703-527-3887 (Collect)</b>

### 10. Regulatory Information (GHS Section 15)

#### 10a. Battery Requirements

<b>USA EPA Mercury Containing &amp; Rechargeable Battery Management Act of 1996</b>	During the manufacturing process, no mercury is added.
<b>EU Battery Directive 2006/66/EC &amp; amendment 2013/56/EU</b>	Compliant with marking and substance restrictions for mercury (<0.0005%); cadmium (<0.0020%) and lead (<0.0040%). Global labels are marked with the special collection symbol and the EU qualifier in accordance with EU Battery Directive 2006/66/EC, Article 11, Paragraph 1 on batteries and accumulators and waste batteries and accumulators (Annex II).

**P.R.C. Provision on Mercury Content Limitation for Batteries (GB 8897.5-2005, MOD, Section 9.1(e))**



**P.R.C. Mercury Free Battery (GB 24427-2009) < 1ppm** Yes

#### 10b. General Requirements

<b>USA CPSIA 2008 (PL. 11900314)</b>	Exempt
<b>USA CPSC FHSA (16 CFR 1500)</b>	Consumer batteries are not listed as a hazardous product.

## Article Information Sheet (AIS)



USA EPA TSCA Section 13 (40 CFR 707.20)	For customs clearance purpose, batteries are defined as an "Article".
USA EPA RCRA (40 CFR 261)	Classified as non-hazardous waste (not ignitable, corrosive, reactive or toxic). Federal Universal Waste Regulations (40 CFR 273) do not apply. State requirements may be more stringent than Federal.
California Prop 65	No warning required per 3rd party assessment.
CANADA Products Containing Mercury Regulations SOR/20140254	Mercury free
EU REACH REGULATION (EC) NO. 1907/2006 and REACH SVHC	Regulated as an "article." No listed SVHC substances are present (>0.1% w/w) in accordance with ECJ article definition of 10 September 2015. This SVHC communication is based on the best available information to us. Duracell is managing compliance with EU REACH as part of our daily quality, safety, and regulatory activities. The Candidate List of SVHC's is updated approximately bi-annually and Duracell will update this declaration accordingly if the updated SVHC list affects the assessment herein.
EU REACH Article 31	SDS is not required consumer alkaline batteries.
<b>10c. Regulatory Definitions - Articles</b>	
USA OSHA	29 CFR 1910.1200(b)(6)(v)
USA TSCA	40 CFR 704.3; 710.2(3)(c); and [19 CFR 12.1209a]
EU REACH	Title 1 - Chapter 2 - Article 3(3)
GHS	Section 1.3.2.1
<b>11. Other Information</b>	
<b>11a. Certification &amp; 3rd Party Approvals</b>	
UL (UTGT2.S50939 Single Multiple Station Smoke Alarms - Component)	AA, 9V Standard: ANSI/UL 217 Single & Multiple Station Smoke Alarms Certification
<b>11b. AIS Hazard Communication Approaches (consulted in developing this document):</b>	
Globally Harmonized System (GHS)	GHS SDS requirements and classification criteria do not apply to articles or products (such as batteries) that have a fixed shape, which are not intended to release a chemical. The article exemption is found in Section 1.3.2.1.1 of the GHS and reads: <i><b>The GHS applies to pure substances and their dilute solutions and to mixtures. "Articles" as defined by the Hazard Communication Standard (29 CFR 1900.1200) of the OSHA of the USA, or by similar definition, are outside the scope of the system.</b></i>
Joint Article Management Promotion Consortium JAMP	JAMP is a Japanese Industry Association who developed the concept of an Article Information Sheet as a supply chain tool to share and communicate chemical information in articles. The AIS authoring process is based on "declarable" substances to meet global regulatory requirements as well as substances to be reported by GADSL, JIG, etc.
IEC 62474 Ed. 1.0 B:2012 Material Declaration for Products of and for the Electro-technical Industry	An international standard that came into effect in March 2012 concerning declaration for electrical and electronic products. IEC 6274 replaces the defunct Joint Industry Guide – Material Declaration for Electro-technical Products (JIG-101-Ed 4.1 (May 21, 2012)

## Article Information Sheet (AIS)



<p><b>IEC 62474 Database - Publically available online (maintained by TC11: Environmental Standardization for electrical and electronic products and systems.</b></p>	<p>The general principle for a substance to be included in the database as a declarable substance is: 1) existing national laws or regulations in an IEC member country that are relevant to Electro-technical products and that prohibit or restrict substances, or that have a labeling, communication, reporting or notification requirement, and 2) applying IEC 62474 criteria results in identification of declarable substance.</p>
<p><b>ANSI C18.4M-2017 Portable Cells and Batteries - Environmental</b></p>	<p>This standard provides regulatory guidance and a template to author an article information sheet for a portable consumer battery. See Annex (informative) C.2 Safety Data Sheets and Annex E (Informative) E. 2 General.</p>
<p><b>ANSI Z 400.1/Z19.1 (2010)</b></p>	<p>2.1 Scope: Applies to preparation of SDSs for hazardous chemicals used under occupational conditions. Does not address how the standard may be applied to articles. It presents basic information on how to develop and write a SDS. Additional information is provided to help comply with state and federal environmental and safety laws and regulations. Elements of the standard may be acceptable for International use.</p>

**DISCLAIMER: This AIS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Duracell to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations. This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Duracell assumes no responsibility for injury to the recipient or third persons or for any damage to any property resulting from misuse of the product.**