




THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PART NO.	MAX. BUNDLE DIA [mm]	LENGTH ±.1 [2]
MSC4W63T15-L6	4" [102]	18.0" [457]
MSC6W63T15-L6	6" [152]	24.4" [620]
MSC8W63T15-L6	8" [203]	30.7" [780]
MSC10W63T15-L6	10" [254]	37.0" [940]



NOTES:

1. APPLICATION TOOLS: BT2MS75, BT2HT
2. BRACKETS [] DENOTES DIMENSIONS IN MILLIMETERS AND ARE FOR REFERENCE ONLY
3. BASE MATERIAL: 316 STAINLESS STEEL.
4. 100% COATED WITH BLACK NYLON OR POLYESTER.
5. COATING THICKNESS: .003/.005 [.076/.127] PER SIDE.
6. TOLERANCES (UNLESS OTHERWISE SPECIFIED):
 .X ± .03 [.8]
 .XX ± .02 [.5]
 .XXX ± .007 [.18]

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	TITLE			CUSTOMER DRAWING		
							COATED METAL STRAPPING .625" [15.88] WIDE					
							ITEM REVISION NAME					
							N41169BS/01					
							DATASET FILE NAME			MATERIAL:		
							N41169BS_BS/01A			SEE NOTES		
01A	4/13	JAMB	MIM	RGRO	UPDATE DRAWING TO NEW GLOBAL PANDUIT TITLE BLOCK WITH PANDUIT LOGO	SSECN01047	UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]			DRAWING NUMBER:		
00A	10/08	JAMB	SKB	---	ORIG CAD FILE SPEC WAS S41169BS_00. NOTE #1: APPLICATION TOOL BT1HT REPLACED BY BT2HT	----	.x ± .1 [2.54]	.xxx ± .005 [.127]	N41169BS_DC			
00	10/03	BRH	EJD	JJB	DRAWING RELEASED	11159	.xx ± .01 [.25]	ANGLES ± 5 °	THIRD ANGLE PROJECTION			
							DRAWN BY			SIZE		
							BRH	10/03	EJD	1:1	A	
							SCALE			SHT 1 OF 1		