


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

IMPRINT AREA

CLEAR AREA



PART NUMBER	MATERIAL	LABELS PER SHEET	SHEET PER PKG	STD. PKG. QTY.
S100X650YAJ	GYM13 OR GYM6	7	143	1000

1.00 ± .062
[25.40 ± 1.6]
TYP. 7 PLCS.

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
4	8/9/2022	JEFP	DAPE	MSAD	CHANGED MATERIAL TO GMY13 OR GMY6	GAECN06570
3	9/14/2020	RVU	RCMC	JHAC	GYM13 WAS GYM6. UPDATE LABELS. UPDATE TEMPLATE DWG.	GAECN05761
2	10/29/09	RVU			UPDATE ON TOLERANCES. ADD +/- .062.	5898
1	8/12/08	RVU			CHG. FORMAT FROM 'B' TO 'A' SIZE. TITLE AREA TOL. INCORRECT.	5516
0	6/29/06	RVU			DRAWING RELEASE. MATERIAL WAS GYM2.	4568
A	9/22/04	RVU			ENGINEERING RELEASE.	0000

TITLE					
OPTIMUM SELF-LAMINATING S100X650YAJ LASER INKJET PRINTABLE LABELS					
CUSTOMER DRAWING					
ITEM REVISION NAME			100472CH/09		
DATASET FILE NAME			100472CH_DC_C10208/09A		
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]			PANDUIT MATERIAL: SEE TABLE		
.x ± .12 [3.05] .xxx ± .025 [.635] .xx ± .062 [1.57] ANGLES ±					
DRAWING NUMBER:			C10208		
DRAWN BY	DATE	CHK	SCALE	SHT 1 OF 1	
RVU	9/22/04	JHAC	NTS	A	

D10100DA/20