

**Miele**



## PG 8061 U [HYGIENE MAR]

Built-under fresh-water dishwasher  
with baskets approved by Lloyd's Register.



- Max. cleaning performance\*: 152 plates/h
- Extremely hygienic results –final rinse temperature of 85°C
- Simple to operate thanks to clear fascia panel design
- Always the right programme - item-specific solutions
- First-class results thanks to freshwater wash system

EAN: 4002516149200 / Article number : 61806153MAR / Material number: 11181580

| <b>Construction type and version</b>         |                             |
|--|-----------------------------|
| Construction type                            | Built-under dishwasher      |
| Range  | Professional                |
| Wash system                                  | Fresh water                 |
| Number of levels                             | 2                           |
| Front  | Stainless steel             |
| Side panels                                  | Stainless steel             |
| Convertible to a freestanding appliance      | Stand 1-80, stainless steel |
| <b>Application</b>                           |                             |
| Suitable for offshore and marine services    | •                           |
| <b>Performance data</b>                      |                             |
| Circulation pump Qmax in l/min.              | 390                         |
| Shortest programme duration in min.          | 15                          |
| Maximum final rinse temperature in °C        | 85                          |
| Cleaning performance, plates/h               | 152                         |
| Cleaning performance, baskets/h              | 8                           |
| Possible to wash plastic baskets on 2 levels | •                           |
| Service life in wash cycles                  | 15,000                      |
| <b>Controls</b>                              |                             |
| Control system                               | TouchControl                |
| Programme selection                          | Touch on Metal              |
| Max. delay start in h                        | 24                          |
| Time left display                            | •                           |
| Programme sequence indicator                 | •                           |
| Selectable display languages                 | •                           |
| Language-neutral operation                   | •                           |
| <b>Standard electrical connection</b>        |                             |
| Electrical connection                        | 2 PH. 208V 60HZ             |
| Heater rating in kW                          | 5.40                        |
| Total connected load in kW                   | 5.80                        |
| Fuse rating in A                             | 30                          |
| Length of mains connection cable in m        | 2.20                        |
| <b>Possible voltage variant 1</b>            |                             |
| Electrical connection                        | 3 PH. 208V 60HZ             |
| Heater rating in kW                          | 5.4                         |
| Total connected load in kW                   | 5.80                        |
| Fuse rating in A                             | 20                          |

## PG 8061 U [HYGIENE MAR]

Built-under fresh-water dishwasher  
with baskets approved by Lloyd's Register.



| <b>Water connection/drainage</b>                          |                    |
|---|--------------------|
| Cold water [number]                                       | 1                  |
| Hot water [number]  | 1                  |
| Required flow pressure in bar                             | 1,00-10,00         |
| Drain pump [DN]   | 22                 |
| Maximum delivery head for drain pump in cm                | 100                |
| Integrated water softener                                 | •                  |
| Maximum water hardness in mmol/l                          | 10.70              |
| Water protection system                                   | Waterproof system  |
| Water consumption per wash cycle in l                     | 8.00               |
| <b>Dimensions and weight</b>                              |                    |
| External dimensions, net height in mm                     | 820                |
| External dimensions, net width in mm                      | 530                |
| External dimensions, net depth in mm                      | 505                |
| External dimensions, gross height in mm                   | 940                |
| External dimensions, gross width in mm                    | 675                |
| External dimensions, gross depth in mm                    | 685                |
| Usable space in wash cabinet, height in mm                | 559                |
| Usable space in wash cabinet, width in mm                 | 530                |
| Usable space in wash cabinet, depth of upper basket in mm | 474                |
| Usable space in wash cabinet, depth of lower basket in mm | 505                |
| In-feed height above floor in mm                          | 216                |
| Net weight in kg  | 63                 |
| Gross weight in kg  | 69                 |
| Maximum floor loading in N                                | 1,200              |
| <b>Emissions data</b>                                     |                    |
| Emissions – sound pressure at workplace (LpA)             | 45 dB(A) re 20 µPa |
| Sound power (LwA) in dB(A) re 1 pW                        | 57.0               |
| Heat dissipation into the room in MJ/h                    | 1.08               |
| <b>Programmes</b>   |                    |
| Universal   | •                  |
| Short   | •                  |
| Cold/Pre-wash   | •                  |
| Intensive   | •                  |
| Reactivation  | •                  |
| Drainage by pump  | •                  |
| <b>Basket design</b>                                      |                    |
| 1 x O 891 upper basket for cups                           | •                  |
| 1 x U 890 lower basket for inserts                        | •                  |
| 1 x E 810 insert for dessert plates                       | •                  |
| 2 x E 816 inserts for plates                              | •                  |
| 2 x E 165 inserts for cutlery                             | •                  |
| Height-adjustable upper basket                            | •                  |

## PG 8061 U [HYGIENE MAR]

Built-under fresh-water dishwasher  
with baskets approved by Lloyd's Register.



| <b>Features</b>   |   |
|---|---|
| 1 combi dispenser in the door for powder cleaning agent and rinsing agent | • |
| Wash cabinet made from high-quality stainless steel                       | • |
| In-door salt container  | • |
| AutoClose   | • |
| Perfect GlassCare   | • |
| Aerosol steam condenser   | • |
| Adjustable final rinse temperature  | • |
| Adjustable wash temperature   | • |
| Adjustable rinse time   | • |
| Optical interface   | • |
| A wide range of accessories (optional)                                    | • |
| <b>Connection options</b>   |   |
| External dispensing module for liquid detergent                           | • |
| External dispensing module for rinse aid                                  | • |
| <b>Standards, test certificates and symbols</b>                           |   |
| CE  | • |
| Complies with Machinery Directive 2006/42/EC                              | • |
| EMC   | • |
| Interference suppression  | • |
| VDE   | • |
| EN 1717   | • |
| Lloyd's Register  | • |

The Miele Company Limited  
Fairacres  
Marcham Road  
Abingdon  
OX14 1TW

Sales: 0845 365 6636  
Customer Service: 0845 365 6608  
[miele-professional@miele.co.uk](mailto:miele-professional@miele.co.uk)  
[www.miele.co.uk/professional](http://www.miele.co.uk/professional)  
Twitter: @MieleProf

**Professional laundry, dishwashing, disinfection and sterilisation equipment.**  
For many years Miele Professional has been at the forefront of manufacturing commercial laundry, dishwashing, disinfecting and sterilisation equipment, bringing you a comprehensive selection of machines for a wide range of applications. Whatever the business sector our commercial range has it covered.