

Miele



PWM 908 [EL DP MAR 3 AC 400-480V 50-60Hz]

Professional washing machine, Little Giants, electric heating, drain pump

Lloyd's Register approved, load size 8.0kg.



- Drum volume 73l, load capacity 8.0kg
- Tested for intensive use – unparalleled Miele quality
- Max. user convenience w. full-touch colour display –M Touch Flex
- Thorough cleaning with professional wash programmes

EAN: 4002516223504 / Article number : 51908387MAR / Material number: 11251290

Construction type and version	
Construction type	Front-loader, stackable
Range	Performance Plus
Front	Stainless steel
Load in kg	8.0
Drum volume in l	73
Door opening [Ø] in mm	300
Door opening angle in degrees	167
Door hinge	right
Maintenance-free synchronous motor	•
Honeycomb drum with perforated drum rear panel	•
Application	
Suitable for offshore use	•
Suitable for marine use	•
Performance data	
Specific water consumption for cold-water connection in l/kg	6.40
Specific energy consumption for cold-water connection in kWh/kg	0.13
Specific water consumption for hot water connection in l/kg	6.00
Specific energy consumption for hot water connection in kWh/kg	0.06
Water consumption with cold water connection in l	51.0
Energy consumption with cold water connection in kWh	1.05
Programme duration in minutes with cold water connection	59
Water consumption with hot water connection in l	48.0
Energy consumption with hot water connection in kWh	0.50
Programme duration in minutes with cold water and hot water connection	49
Residual moisture with cold rinse in %	48
Residual moisture with hot rinse in %	45
Spin speed in rpm	1,600
g factor	704
Tested operating hours	30,000
Controls	
Control system	M Touch Flex
Programmability	programmable
Max. delay start in h	96
Time left display	•
Programme sequence indicator	•
Language can be selected easily at any time	•

PWM 908 [EL DP MAR 3 AC 400-480V 50-60Hz]

Professional washing machine, Little Giants, electric heating, drain pump

Lloyd's Register approved, load size 8.0kg.



Dispensing	
Detergent drawer	3 compartments
CapDosing	•
Flexible dispensing adapter (optional)	•
Maximum number of connections for liquid dispenser pumps [number]	6
Empty sensor	•
Standard electrical connection	
Heating type	Electrical
Electrical connection	3~ 440V
Heater rating in kW	4.00
Total connected load in kW	4.20
Fuse rating in A	10
Possible voltage variant 1	
Electrical connection	3~ 400V
Heater rating in kW	3.40
Total connected load in kW	3.60
Fuse rating in A	10
Possible voltage variant 2	
Electrical connection	3~ 480V 50/60HZ
Heater rating in kW	4.80
Total connected load in kW	5.00
Fuse rating in A	10
Water connection/drainage	
Cold water [number]	1x 1/2" hose w/ 3/4" th. union
Hot water [number]	1x 1/2" hose w/ 3/4" th. union
Drain pump	DN 22
Dimensions and weight	
External dimensions, net height in mm	850
External dimensions, net width in mm	605
External dimensions, net depth in mm	714
External dimensions, gross height in mm	940
External dimensions, gross width in mm	660
External dimensions, gross depth in mm	768
Net weight in kg	108
Gross weight in kg	112
Maximum floor loading in N	2820
Emissions data	
Emissions – sound pressure at workplace	<70 dB(A) re 20 µPa
Heat dissipation into the room in MJ/h	1.00

PWM 908 [EL DP MAR 3 AC 400-480V 50-60Hz]

Professional washing machine, Little Giants, electric heating, drain pump

Lloyd's Register approved, load size 8.0kg.



Features	
3-dimensional imbalance monitoring	•
Commercial shock absorbers	•
Hard-wearing stainless-steel flange	•
Disinfection rinse	•
EcoSpeed	•
Pre-ironing	•
Efficient drum rib technology	•
Temperature monitoring	•
Special heater element	•
Automatic load control	•
Flow meter	•
LED drum lighting, class 1	•
Communication slot	•
Add laundry	•
Machine-independent accessories	•
Efficiency and sustainability	
Recycling rate in %	95
Connection options	
Payment system (optional)	•
Optical interface for service access	•
Peak load cut-out/energy management (optional)	•
LAN/WiFi module (optional)	•
Standards, test certificates and symbols	
WEEE	•
Lloyd's Register	•
Complies with Machinery Directive 2006/42/EC	•

The Miele Company Limited
Fairacres
Marcham Road
Abingdon
OX14 1TW

Sales: 0845 365 6636
Customer Service: 0845 365 6608
miele-professional@miele.co.uk
www.miele.co.uk/professional
Twitter: @MieleProf

Professional laundry, dishwashing, disinfection and sterilisation equipment.
For many years Miele Professional has been at the forefront of manufacturing commercial laundry, dishwashing, disinfecting and sterilisation equipment, bringing you a comprehensive selection of machines for a wide range of applications. Whatever the business sector our commercial range has it covered.