

APPLICATIONS

- Audio sound source in A/V
- BGM & Paging solutions, with message priorities
- Integration in installation global control systems

DUO-NET PLAYER is a double audio sound source that features full EclerNet compatibility (EclerNet Manager software, UCP control system, WPmSCREEN remote management, TP-NET third party integration protocol, etc.). It includes 2 independent stereo media players, each one being able to play Internet audio streams and local or networked audio media.

DUO-NET PLAYER can be used as a stand-alone media player or integrated as a piece of a full EclerNet system, as well as coexisting with third-party devices.

ACCESSORIES



■ WPmSCREEN





DUO-NET PLAYER Controller



DUO-NET PLAYER



DUO-NET PLAYER

KEY FEATURES

- 2 independent media players, each one linked to a dedicated stereo output
- Compatible with mp3, ogg, AAC, WAV and FLAC audio formats
- SD and USB slots for local storage media contents
- Ethernet interface (RJ45 connector) for EclerNet and TP-NET control, Internet streaming reception and networked media playback
- Fully programmable and controllable via EclerNet software
- UCP (User Control Panels) remote control system, compatible with WPmSCREEN and third-party client devices (iOS®, Windows® and Android®)
- 4 GPI ports (General Purpose Inputs) to trigger events
- Integrated RTC (Real-Time Clock) and NTP (Network Time Protocol) synchronization, for scheduled events triggering
- IR remote control for basic end-user control
- Priority media (emergency, advertising, etc.) over program audio

Audio Outpus 2 x stereo balanced, LINE level, Euroblock type Communication Interfaces 1 x Ethernet (RJ45), 1x RS-232 (DB9), 4 x GPI (Euroblock) Local Media USB, SD/SDHC Remote Control Included IB remote control	
Local Media USB, SD/SDHC	
Remote Control	
Hemote control	
Dimensions HxWxD: 44 (1 RU)x482,6x120mm / 1,8 g.	