

Connector domestic type - with hinged lid and increased contact protection (Shutter), System F German standard




Product description	
BALS-Prd.-Nr	748609
EAN	4024941854016
Product category	Domestic connector
Current	16A
Number of poles	3p
Arrangement of phases	2P+PE
Voltage	250V~
Frequency	AC

Product description	
Protection degree	IP54
Colour code	blue RAL 5015
Colour of appliance	Collar black RAL 9005, Hinged lid black RAL 9005, Cable gland black RAL 9005, Housing cover blue RAL 5015
Connection design	head-screw terminal
Maximum conductor size	4,0 qmm
Cable entry	Cable gland
Height	123mm
Width	52mm
Depth	64mm
Material of enclosure	Polyamide
Contacts	the contact carrier is made of polyamide, the contacts are brass nickel plated

Additional technical properties	
	with german earthing system, With increased contact protection (shutter)
	MULTI-GRIP cable gland with gasket and integrated strain relief
	With self-closing hinged lid

Logistics data	
Weight/pcs	0.093 kg / Piece
Packaging	Bag

Logistics data	
Content amount	1 ST
EAN	4024941854016
Length	64 mm
Width	52 mm
Height	123 mm
Weight	0.094 kg
Volume	409.344 ccm
Packaging	Carton
Content amount	20 ST
EAN	4024941324724
Length	245 mm
Width	177 mm
Height	185 mm
Weight	1.993 kg
Volume	7,140 ccm



18 MB 120