




19" Steckdosenleiste 8-fach, 45° gedreht, 1,8 m Anschlussleitung

**Leistungsmerkmale**

Die 19"-Steckdosenleiste 8-fach verfügt über einen integrierten Überlastschutz, der die Steckdosenleiste vor thermischer Überlastung schützt. Die Steckdosenleiste hat ein hochwertiges Aluminiumgehäuse und Winkel für die Rackmontage. Die 8 Steckdosen sind für optimale Nutzung um 45° abgewinkelt eingebaut. Die 1,8 m lange Anschlussleitung mit CEE7/7-Winkelstecker ist VDE-geprüft.

Technische Daten

- 250 V AC/16 A
- DIN 49440
- Überlastschutz: thermischer Schutzschalter, rückstellbar
- Zuleitung: 1,8 m Länge, HO5VV-F 3G 1,5 mm², Winkelstecker CEE7/7, VDE-zertifiziert
- Montagewinkel für Rackmontage
- Abmessungen: 483x45x45 mm, 19 Zoll/1 HE

DEHA-Nummer

6501738

Artikelnummer

2714-17-0003

EAN

4046725400097

Kennzeichnung

19“ Steckdosenleiste 8-fach, 45° gedreht, 1,8 m Anschlussleitung

Allgemeine Daten

Merkmale	
Gehäuseform	rechteckig
Anzahl der SCHUKO-Steckdosen	8
Nennstrom	16 A
Aderquerschnitt	1,5 qmm
Werkstoff	Metall
Werkstoffgüte	Aluminium
Halogenfrei	ja
Ausführung der Oberfläche	matt
Farbe	schwarz
RAL-Nummer (ähnlich)	9004
Schutzart (IP)	IP20
Länge der Zuleitung	1,8 m
Verdrehter Zentraleinsatz	ja
Winkel verdrehter Zentraleinsatz	45°


Produktabbildungen

Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
6501738	STL 19-8 Ü	2714-17-0003	4046725400097	1 Stück



19 "socket strip, 8-way, 45 ° rotated, 1.8 m connection cable

**Performance features**

The 19" 8-way power strip has integrated overload protection that protects the power strip from thermal overload. The power strip has a high-quality aluminum housing and brackets for rack mounting. The 8 sockets are installed at an angle of 45° for optimal use. The 1.8 m long connection cable with CEE7/7 angle plug is VDE-tested.

Technical data

- 250 V AC/16 A
- DIN 49440
- Overload protection: thermal circuit breaker, resettable
- Supply cable: 1.8 m long, H05VV-F 3G 1.5 mm², angle plug CEE7/7, VDE-certified
- Mounting bracket for rack mounting
- Dimensions: 483x45x45 mm, 19 inches/1 HE

DEHA number

6501738

Item number

2714-17-0003

EAN

4046725400097

label

19 “socket strip, 8-way, 45 ° rotated, 1.8 m connection cable

General Data

Features	
Housing shape	Rectangular
Number of socket outlets with protective contact	8
Nominal current	16 A
Core cross section	1,5 qmm
Material	Metal
Material quality	Aluminium
Halogen free	yes
Surface finishing	Matt
Colour	Black
RAL-number (akin)	9004
Degree of protection (IP)	IP20
Length of power cord	1,8 m
Rotated central insert	yes
Angle rotated central insert	45°

Product pictures

Order Data

DEHA no	Type	Item number	EAN	VPE
6501738	STL 19-8 Ü	2714-17-0003	4046725400097	1 Piece