


LED power supply unit 24 V DC, DALI-2 dimmable

Article no. 17252000

Light.
For Generations.



Tender

LED power supply unit 24 V DC, DALI-2 dimmable, , Rectangular. Material: Plastic, Degree of protection: according to DIN EN 60529 IP20, Protection class: (EN 61140) II, Power: 150 W, Dimmable: Yes, Control: DALI-2 .

Product Benefits

- Plastic housing incl. strain relief
- protection class II
- dimmable via DALI-2
- Measuring point Tc (max) 85°C

Article data	
Article no.	17252000
GTIN	4251433955238
Short description	LED power supply unit 24 V DC, DALI-2 dimmable
Material	Plastic
Colour	White
Shape	Rectangular
Length	290 mm
Width	45 mm
Height	31 mm
Weight	0.571 kg
stamp	ENEC 05, MM

LED power supply unit 24 V DC, DALI-2 dimmable

Article no. 17252000

Light.
For Generations.

Operating technology of driver	
AC nominal voltage min	198 V
AC nominal voltage max	264 V
Frequency min	50 Hz
Frequency max	60 Hz
Protection class	II
Degree of protection	IP20
max. no. lights on C16 A	10
max. no. lights on B16 A	6
Starting current	90A Max.
Power min	1 W
Power max.	150 W
Suitable for emergency lighting	No
Control	DALI-2 , PUSH-Dimm
Flicker-free	Yes
Average nominal lifespan	50000 h
Power factor	0.95

Packing data	
Gross weight	0.611 kg
Length of packaging	45 mm
Packaging width	35 mm
Packaging height	330 mm
Disposal at end of life	<p>This product must not be disposed of with household waste. You are obliged, to dispose of such electrical waste separately.</p> <p>By disposing of electrical waste and other old or defective electronics separately, you support recycling or other forms of re-use. In that way you help to take care and to avoid that harmful substances get into the environment.</p>