


Hanging combination units - UNI-BLOCK hanging combination unit



| Product description | |
|---------------------|--|
| BALS-Prd.-Nr | 57116 |
| EAN | 4024941571166 |
| Product category | UNI - BLOCK, dependent |
| Protection degree | IP54 |
| Colour of appliance | Housing top similar yellow RAL 1023, Housing bottom similar black RAL 9017 |
| Height | 140mm |
| Width | 140mm |
| Depth | 140mm |

| Product description | |
|---------------------|---|
| RDF factor | 1 |

| Logistics data | |
|----------------|------------------|
| Weight/pcs | 2.428 kg / Piece |
| Packaging | Carton |
| Content amount | 1 ST |
| EAN | 4024941571166 |
| Length | 325 mm |
| Width | 217 mm |
| Height | 210 mm |
| Weight | 2.634 kg |
| Volume | 13,588.4 ccm |



| Depth X | | | |
|------------------|----------|-----------|------|
| Component | Angle | IP44/IP54 | IP67 |
| 16A 3pol. | straight | 118 | 122 |
| 16A 4pol. | straight | 119 | 124 |
| 16A 5pol. | straight | 122 | 124 |
| 32A 3/4pol. | straight | 128 | 132 |
| 32A 5pol. | straight | 132 | 132 |
| 16A 5pol. | angled | 126 | 125 |
| Domestic socket | straight | 90 | 115 |
| Operating window | | 90 | |
| | | | |
| | | | |

