


## Hanging combination units - UNI-BLOCK hanging combination unit



| Product description |  |
|---------------------|--|
| BALS-Prd.-Nr        | 57116  |
| EAN                 | 4024941571166  |
| Product category    | UNI - BLOCK, dependent   |
| Protection degree   | IP54   |
| Colour of appliance | Housing top similar yellow RAL 1023, Housing bottom similar black RAL 9017 |
| Height              | 140mm  |
| Width               | 140mm  |
| Depth               | 140mm  |

| Product description |   |
|---------------------|---|
| RDF factor          | 1 |

| Logistics data |                  |
|----------------|------------------|
| Weight/pcs     | 2.428 kg / Piece |
| Packaging      | Carton           |
| Content amount | 1 ST             |
| EAN            | 4024941571166    |
| Length         | 325 mm           |
| Width          | 217 mm           |
| Height         | 210 mm           |
| Weight         | 2.634 kg         |
| Volume         | 13,588.4 ccm     |



13MB124

| Depth X          |          |           |      |
|------------------|----------|-----------|------|
| Component        | Angle    | IP44/IP54 | IP67 |
| 16A 3pol.        | straight | 118       | 122  |
| 16A 4pol.        | straight | 119       | 124  |
| 16A 5pol.        | straight | 122       | 124  |
| 32A 3/4pol.      | straight | 128       | 132  |
| 32A 5pol.        | straight | 132       | 132  |
| 16A 5pol.        | angled   | 126       | 125  |
| Domestic socket  | straight | 90        | 115  |
| Operating window |          | 90        |      |
|                  |          |           |      |
|                  |          |           |      |

